

⇒ **BRAKE FLUIDS**
⇒ **LUBRICANTS**
⇒ **COOLANTS**
⇒ **GREASES**



MADE IN INDIA
With German Technology
To Serve The Whole World

www.mobilitylubes.com



COMPANY PROFILE

Galaxy Green Lubricants Pvt Ltd, Is A Pvt Ltd Company (limited By Shares) Having Its Registered Office At F 62, 1st Floor, Fantasia Business Park, Plot No. 47. Sector-30A Vashi, Navi Mumbai-400703. We Are Lubricant Manufacturer Producing Premium Quality Under The Brand Name **"MOBILITY"** Well Engineered Lubricant Products, We Are Equipped With The India's Best Professionals, Who Render Our Services In India, South Asia And Other African Countries. Our Lubricants Are Manufactured In Our State Of Art Blending Plant At RIA, INDIA With The Best Equipped Labortary (R&D) To Ensure The Quality Assurance. Our Services Include Customer Support, Technical & Logistic Solutions And Job Work For Small Manufacturing Traders. We Are An Iso 9001:2015 Company Having Gmp Certification. We Follow All Three Prudential Norms of API, JASO & SAE. The Management Of The Company Is Highly Experienced In Lubricanting

We Are Also Providing Our Customers Other Automotive Products Like Batteries, Filters, Full Range Of 2-wheeler Parts, Tyre & Tube Under The Same Root As A One Point Solution In Our Brand Name

VISION

An International lubricant Brand With A Reputation For Performance, Value And Reliability.

MISSION

1. To Provide High Performance, Value-for-money And Reliable Products As Per Market Standards And Customer Needs.
2. Customer Is Our Key Point And We Are Committed To Give Best Customer Service And Relationship.
3. Lead The Organization With A Competent And Responsive Management Team.

VALUE AND PHILOSOPHY

We believe in providing our customers with the best performing products at the optimum price as "value for money" as customers are our core value. with rapid change in technologies, our R&D team is committed to provide best performing lubricants as per market standard. This enables our customers to be more competitive using the full set of benefits from our competitively priced products. we believe in strong win-win partnerships with our customers and workshops. We are committed to create a healthy working environment for our staff that improves overall productivity and potential.



COMPANY STRENGTHS

- **INNOVATION:** New emerging technologies and products to stay up in the market.
- **CONTINUOUS IMPROVEMENT:** Our research and development team works continuously for the improvement.
- **CUSTOMER RELATIONSHIP:** Understand the market and give best support to customers.
- **QUALITY STANDARD & SERVICES:** High quality international standards and best service in the industry.
- **CUSTOMER SUPPORT:** Best team of professionals offering best value for money & services to our core value.

WHAT ARE LUBRICANTS?

Lubricants or lubricating oil is the combination of **BASE OIL+VISCOSITY INDEXER+ ADDITIVES**.

RESPECTIVE PERFORMANCE AND FUNCTION:

BASE OIL

- Forms a fluid film between moving parts in order to reduce friction, wear & tears.
- Carry away carbon particles & contaminants to the filter.
- Remove heat generation within the engine.

VISCOSITY INDEXER:

To change viscosity index as per vehicle standards.

ADDITIVES:

Are the chemical compounds added to the base oil to significantly enhance the performance of the lubricant oil to reduce the friction, enhance oxidation stability, and wear protection with corrosion resistant.

RANGE OF PRODUCTS:

Our company provides complete range of automotive & industrial lubricants including **Greases, Urea Solutions**.



4T ACTIVE 20W40 API-SL PREMIUM

Available In: 900ML, 1L, 55L, 210L

Synthetic performance 4 stroke motorcycle oil, Mobility 4T Active Premium is a high performance 4 stroke engine oil developed specially to meet the special HERO, HONDA, BAJAJ, TVS, YAMAHA MOTORCYCLE etc.



P
E
T
R
O
L

ENGINE OILS
TWO WHEELER

PETROL ENGINE OILS

4T ACTIVE PREMIUM 20W40 API-SN

Available In: 900ML, 1L, 55L, 210L

Synthetic performance 4 stroke motorcycle oil, Mobility Active-4T is a high performance 4 stroke engine oil developed specially to meet the special **HERO, HONDA, BAJAJ, TVS, YAMAHA MOTORCYCLE** etc.

4T SMOOTH + 10W30 API-SN

Available In: 900ML, 1L, 55L, 210L

Synthetic performance 4 stroke motorcycle oil, Mobility Active-4T is a high performance 4 stroke Scooter engine oil developed specially to meet the special **HERO, HONDA, BAJAJ, TVS, YAMAHA MOTORCYCLE** etc.

4T ACTIVE PREMIUM 20W40 API-SL

Available In: 900ML, 1L, 55L, 210L

Synthetic performance 4 stroke motorcycle oil, Mobility Active-4T is a high performance 4 stroke engine oil developed specially to meet the special **HERO, HONDA, BAJAJ, TVS, YAMAHA MOTORCYCLE** etc.

4T NITRO + 20W50 API-SL

Available In: 1.2L, 2.5L, 55L, 210L

Synthetic performance 4 stroke motorcycle oil, Mobility Active-4T is a high performance 4 stroke engine oil developed specially to meet the special **BULLET MOTORCYCLE & OLD MARUTI MODELS.**

4T ROYAL + 15W50 API-SL

Available In: 1.2L, 2.5L, 55L, 210L

Synthetic performance 4 stroke motorcycle oil, Mobility Active-4T is a high performance 4 stroke engine oil developed specially to meet the special **BULLET MOTORCYCLE.**



PASSENGER CAR OILS

For DIESEL & PETROL ENGINE

SYNTECH POWER + 5W30 API-SN CRUISE

Available In: 3L, 3.5L, 55L, 210L

MOBILITY 5W30 oil a common motor oil viscosity that's recommended by many auto manufacturers for use in all types of modern vehicles passenger car suvs & light vans including high performance turbo charged and supercharged engines, Mobility formula is an advanced passenger car motor oil specially developed for high performance luxury cars powered by petrol or diesel. the same endurance tested technology.

That has powered numerous winning cars in the toughest of endurance races across the globe is used in formulating this and thus it provides exceptional protection to the engine ensuring reliable lubrication even in the most demanding conditions.

विश्व की नं. 1 क्वालिटी

Fully Super Synthetic



DIESEL ENGINE OILS

TURBO GOLD 15W40 API -Cf4

Available In: 3L, 3.5L, 5L, 7.5L, 10L, 15L, 20L, 55L, 210L

MOBILITY TURBO GOLD 15W40 CF-4 Is A Premium Quality Multi Grade Diesel Engine Oil Designed To Provide Excellent Engine Lubrication In Turbo Charged As Well As Naturally Aspirated Diesel Engine. Formulated With Highly Hydro Processed Base Oils And Carefully Selected Additive Chemistry, Mobility Turbo Gold Is Designed To Provide Exceptional Viscosity Temperature Characteristics Superior TBN Retentivity And High Soot Discrepancy Required Charged Engines.

Recommended for use **TATA MOTOR , ASHOK LEYLAND, EICHER, ISUZU, MAHINDRA & MAHINDRA, ESCORTS, TAFE, SONALIKA, AMW SWARAJ, FORCE MOTORS** etc.

TURBO JET 15W40 API -Ch4

Available In: 1L, 3L, 3.5L, 5L, 7L, 10L, 15L, 20L, 55L, 210L

MOBILITY TURBO JET 15W40 Ch4 Is A Diesel Engine Oil Which Meets International Specification For Top Performance And Long Service Life In Turbo Charged And Normally Aspirated Diesel Engines, Mobility Turbo Jet Ch4 15w40 Is Specifically Designed To Meet The Performance Levels Required For The New Generation Of Cooled EGR Engines . It Is Uniquely Formulated To Promote The Highest Standard Of Engine Cleanliness In Modern Highly Stressed Turbo Charged Engine.

Recommended for use **TATA MOTOR , ASHOK LEYLAND, EICHER, ISUZU, MAHINDRA & MAHINDRA, ESCORT, TAFE, SONALIKA, AMW SWARAK, FORCE MOTORS** etc.

MULTI + API 20W40 -Cf4

Available In: API-CF4 7.5L, 55L, 210L

MOBILITY MULTI CF4 20W40 Is A Diesel Engine Oil Which Meets International Specification For Top Performance And Long Service Life In Turbo Charged And Normally Aspirated Diesel Engines, Mobility Milti+ Cf4 20w40 Is Specifically Designed To Meet The Performance Levels Required For The New Generation Of Cooled Egr Engines. It Is Uniquely Formulated To To Promote The Highest Standard Of Engine Cleanliness In Modern High Stressed Turbo Charged Engine

Recommended for use **TATA MOTOR , ASHOK LEYLAND, EICHER, ISUZU, MAHINDRA & MAHINDRA ESCORT, TAFE, SONALIKA, AMW. SWARAK, FORCE MOTORS** etc.



HYDRAULIC OIL

HYDRA - AW32/46/68

Available In: 5L, 20L, 26L, 55L, 210L

MOBILITY High Performance Hydraulic Oils Have Been Developed To Operate Under Moderate To Severe Conditions Across A Wide Range Of Industrial & Automotive Application. They Are Well Known To Protect, Lubricate And Perform In The Most Efficient And Effective Way To Ensure Smooth Operation And Long Service Life Of The Hydraulic Systems.

Recommended For : **JCB, L&T, TATA, HITACHI, ESCORTS, ACE** etc



WET BREAK OIL (UTTO)

DIAMOND - UTTO

Available In: 5L, 20L, 55L, 210L

MOBILITY universal tractor transmission oil is a high performance fluid specially formulated with antiwear & extreme pressure additives for use in tractors, off-road construction and mining equipment where a common lubricant reservoir serves transmissions, final drives & hydraulic systems and requires such type of fluid.

Recommended For:

EICHER, ISUZU, MAHINDRA & MAHINDRA, ESCORT, TAFE, SONALIKA, AMW, SWARAJ, HMT, MASSEY, NEW HOLLAND, FORD, JHON DEER etc.



TRANSMISSION OIL



• MOBILITY TQ OIL ATF

Available in: 1L, 5L, 20L, 55L, 210L

MOBILITY TQ transmission oil is automatic transmission fluid developed for the automatic transmission and power steering systems of vehicles specifying use of general motors. The highly refined base oils and proven performance additives used in this oil enhanced thermal stability, frictional characteristics and rust & corrosion protection. It exceeds the performance requirements of general motors.

PIMPSET OIL

PUMP SET OIL SAE 40

Available In: API SAE 40 3.5L, 210L

MOBILITY PUMP SET OIL SAE 40 heavy duty pump set oil manufactured from highly refined based oil .it has special additive to provide anti corrosion protection to engine internally during ideal periods, this engine oil is designed for boat compression ignition and spark ignition type engines. it is proprietary branded product.

MOBILITY PUMP SET OIL is recommended for all types of pump set. The product is also suitable for other **AGRICULTURE & FARM EQUIPMENT LIKE TRACTOR, POWER TILLERS, HARVESTERS** etc.



GEAR OIL

REAR 85W140 API - GL 5

Available in: 1L, 5L, 7L, 12L, 20L, 55L, 210L

MOBILITY REAR GEAR OIL 85W140 grade is a premium quality extreme pressure type multi grade automotive gear oil specifically designed to address the requirements of gear, particularly hypoid gear in passenger car and other automotive equipment operated under high speed, shock load high speed, low torque and low speed, high torque condition. Good extreme pressure and antiwear properties protects against wear and snoring. High oxidation stability minimises sludge and deposit formation facilitating longer gear and bearing life, Effective rust and corrosion protection, protection reduces wear and extends component life

ULTRA EP 90 API - GL 4

Available In: 1L, 5L, 20L, 26L, 55L, 210L

MOBILITY ULTRA GEAR EP90 is a high performance gear lubricant designed to provide effective lubrication in a wide range of automotive transmissions and axle drive where API-GL4 quality oils are specified. It is formulated from high quality base stocks and balanced extreme pressure additives to provide protection against oxidation degradation, rust & corrosion.

PERFORMANCE BRNEFIT.

- Permits operation across broad temperature range.
- Smooth gear shifting performance.
- Longer oil and component life.

ULTRA EP 140 API - GL 4

Available In: 1L, 5L, 26L, 55L, 210L

MOBILITY ULTRA GRAR EP 140 is a high performance gear lubricant designed to provide effective lubricate in a wide range of automotive transmissions and drives where API GL 4 quality oils are specified. It is formulated from high quaility base stocks and balanced extreme pressure additives to provide protection to gear components against wear and snoring. It offers protection against oxidation degradation, rust & corrosion.

PERFORMANCE BENEFITS

- Permits operation across broad temperature range.
- Smooth gear shifting performance.
- Longer oil and component life.

GEARUP 80W90 API - GL 5

Available in: 1L, 5L, 7L, 12L, 20L, 55L, 210L

MOBILITY GEARUP GEAR OIL 80W90 is a premium quality extreme pressure multi grade gear oil blended from highly solvent refined base stocks and fortified with carefully selected extreme pressure additives package to provide unmatched extreme pressure protection, anti rust, anti corrosion and anti oxidation properties

MOBILITY GEARUP GEAR OIL 80W90 is a multi purpose gear lubricant for automotives applications designed to provide optimum benefits in the demanding mechanical transmission axles and gear box of heavy commercial vehicles, light commercial vehicles and passenger car.



GREASE

RED GEL GREASE NLGI-3

PREMIUM - NLGI-3

Available In: 500G, 1KG, 2KG, 3KG, 5KG
18KG, 50KG, 180KG

MOBILITY RED GEL GREASE is a premium quality, super smooth, transparent, and extra long life lubricating grease, it is developed from selected base oil, special lithium semi complex thickener technology and advance additives package, it gives optimum mechanical & thermal stability that ensures best suitability for wheel bearing of passenger car, farm equipments off and on, highway commercial vehicles and new generation multi axle trucks for long haul service. This product has NLGI-3 consistency



AP-3 GREASE NLGI - 3 PREMIUM

Available In: 500G, 1KG, 2KG, 3KG, 5KG, 18KG, 180KG

MOBILITY AP3 GREASE is based multi functional, water resistant multi purpose grease. It is manufactured from high quality base stocks, super quality and performance additives. This product is multi purpose grease of NLGI-3 consistency

CHASIS GREASE NLGI-3 PREMIUM

Available In: 500G, 5KG, 18KG, 180KG

MOBILITY CHASIS GREASE is a premium quality, super smooth, transparent, and extra long life lubricating grease, it is developed from selected base oil, special lithium semi complex thickener technology and advance additives package, it gives optimum mechanical & thermal stability that ensures best suitability for wheel bearing of passenger car, farm equipments off and on, highway commercial vehicles and new generation multi axle trucks for long haul service. This product has NLGI-3 consistency



GREASE

• **APLR-GREASE NLGI- 3 PREMIUM**

Available In: 500G,2KG, 18KG, 180KG



MOBILITY APLR-GREASE is based multi functional,. water resistant multi purpose grease. It is manufactured from high quality base stocks, super quality and performance additives. This product is multi purpose grease of NLGI-3 consistency.



COOLANT



ANTI FREEZ 1:3

Available In: 1L, 5L, 210L

MOBILITY HEAVY DUTY COOLANT is a new generation radiator coolant and corrosion inhibitor, specifically developed for engines running in warm climate, thus not requiring anti-freeze properties. Unlike the conventional anti freeze radiator coolants. **MOBILITY** Heavy Duty Coolant is based on organic acid technology and hence it has the potency of a prolonged service life.

READY TO USE (RTU)

Available In: 500ML, 1L, 5L, 210L

MOBILITY COOLANT is a ready to use automotive radiator coolant. The carboxylate formulation has a service life. RTU coolant protects modern engine components from winter freezing and summer boiling. **MOBILITY** is a ready to use radiator coolant with superior anti freeze & anti corrosive properties. It can be directly poured in the radiators.



MOBILITY HEAVY DUTY COOLANT also provides resistance to freezing. It won't freeze and expand in hyper-cool temperatures like water. That protects your engine from cracking and experiencing increased pressure

PRODUCT DATA SHEET

15W40 CI-4 PLUS

PROPERTY	TYPICAL VALUE
TBM, mg KOH/g min.	10.5
Sulphated Ash, % Wt.	1.2
Kinematic Viscosity @40°C, cSt	110
Kinematic Viscosity @100°C, cSt	15
Viscosity Index min.	142
Flash Point, (COC)*°C min.	231
Pour Point C Max	-35

T&C Apply

15W40 CH-4

PROPERTY	TYPICAL VALUE
TBM, mg KOH/g min.	9.1
Sulphated Ash, % Wt.	1.4
Kinematic Viscosity @40°C, cSt	110
Kinematic Viscosity @100°C, cSt	14.9
Viscosity Index min.	140
Flash Point, (COC) *°C min.	235
Pour Point C Max	-33

T&C Apply

15W40 CF-4

PROPERTY	TYPICAL VALUE
TBM, mg KOH/g min.	9.7
Sulphated Ash, % Wt.	1.5
Kinematic Viscosity @40°C, cSt	110
Kinematic Viscosity @100°C, cSt	14
Viscosity Index min.	135
Flash Point, (COC) *°C min.	233
Pour Point C Max	-30

T&C Apply

20W40 SL

PROPERTY	TYPICAL VALUE
TBM, mg KOH/g min.	8.2
Sulphated Ash, % Wt.	0.2
Kinematic Viscosity @40°C, cSt	115
Kinematic Viscosity @100°C, cSt	15
Viscosity Index min.	135
Flash Point, (COC) *°C min.	238
Pour Point C Max	-30

T&C Apply

80W90 GL-5

PROPERTY	TYPICAL VALUE
SAE Grade	80W90
Density	0.890
Kinematic Viscosity @40°C, cSt	Report
Kinematic Viscosity @100°C, cSt	16-18
Viscosity Index min.	90
Flash Point, (COC) *°C min.	180
Pour Point C Max	-16

T&C Apply



• UNDER SINGLE UMBRELLA

Our intention is that all Automotive Brands come together 'Under Single Umbrella' Our Clients will be able to make immediate connections with the aim addressing needs as quickly and efficiently as possible and, ideally, to create flow a flow through opportunity to best options without delay and associated risks.

• BEST PRICE

Buy Products at Lowest Prices for business. We offer our brand of Lubricants, Greases, Coolant, Battery, Tires, Tubes, Auto Spare Parts, Accessories & Auto Care Products at extremely competitive prices to satisfy our wide range of Distributor & Partners through out the entire India and out of India.

• FAST & FREE SHIPPING

We offer fast and free shipping on of our goods. Our free shipping play a key role in delivering on the promise of affordable 2 day shipping. By reducing the average transit cost of your shipments. You will save in both cost and transit time. We promise to dispatch goods in just 16 hour.



• 24x7 HELPLINE

Our help line is available in National & International languages. This service is available on our Customer Care Number: +91 93111 28290 and you can mail us at info@mobilitylubes.com or visit at www.mobilitylubes.com. We are ready to help at all time.





Experience Perfection With Feel

ISO: 9001-2015 CERTIFIED COMPANY



GALAXY GREEN LUBRICANTS PVT. LTD.

MOF-62, 1st Floor, Fantasia Business Park, Plot No. 47, Sector-30A
Vashi, Navi Mumbai-400703

Email: info@mobilitylubes.com | **Web.:** www.mobilitylubes.com

Customer Care: +91 93111 28290

MADE IN INDIA
With German Technology
To Serve The Whole World



www.mobilitylubes.com